

GPS Repeater for indoor Satellite Reception

- **Ultra High Sensitivity**
- **High Gain GPS Antenna**
- **Compact Size**
- **IP66 rating**
- **External Re-Radiator**
- **10m/30m Re-Radiating**
- **40m RF Cable**

ADA-104/304 is a complete GPS L1 band signal re-radiating system with dual antennas to re-transmit real time GPS satellite outdoor reception to an indoor environment. The system kits include a high gain external GPS antenna, a precisely calibrated amplifier circuit with helix type re-radiator, and a built-in power supply regulator.




RoHS

Specification

Antenna	Specification
Frequency	1575.42 ± 1.023MHz
Gain	+5.0 dBi typ, at Zenith
Polarazation	RHCP
Axel Ratio	3.0dB typ.
	Total Specification
Frequency Range	1575.42 ± 1.023MHz
Gain	26dB typ.
Bandwidth	2MHz min.
Output Impedance	50Ω
VSWR	2.0 Max
Noise Figure	2.0 Max
Re-Radiating Distance	ADA-104, 10 m; ADA-304, 30m
	Electrical Specification
Operating Voltage	7.5 VDC with power supply 100-240VAC
Current Consumption	Typ: 48mA @ 7,5VDC
	Environmental Conditions
Operating Temperature	-30°C to + 85°C
Storage Temperture	-40°C to + 90°C
Relative Humidity	40% to 95%

	Mechanical Specification
RF Cable	40m Low Loss RF Cable with SMA connector
RF Connector	SMA
Size	33.95 x 25.2 x 10.6mm
Weight	Antenna 237g, Radiator 48g, Power Supply 85g
Mounting	Stainless bracket mount
Water proof	Outdoor ANTenna IP66



Ordering codes

TYPE	Description	Comment
ADA-104	GPS Repeater for indoor Satellite Reception	10m GPS Repeater
ADA-304	GPS Repeater for indoor Satellite Reception	30m GPS Repeater

For the latest updates, visit our Web site: www.adactus.se

Disclaimer

Information furnished is believed to be accurate and reliable. However, Adactus assumes no responsibility for the consequences of use of such information nor for any infringement of patents or other rights of third parties which may result from its use. Adactus reserves the right to make changes without further notice to any product herein to improve reliability, function or design. Adactus does not assume any liability arising out of the application or use of any product described herein.

This publication supersedes and replaces all information previously supplied. Adactus products are not authorised as critical components in life support devices or systems.